



[Facebook](#)[Twitter](#)[You Tube](#)[Google+](#)[Linked In](#)[My Account](#) [My Cart](#) [Dealer Locator](#)[About](#)[Company](#)[Industrial Markets](#)[Manufacturing](#)[Technology](#)[Quality](#)[News](#)[Events](#)[Media/Articles](#)[Contingency Programs](#)[Dealer Program](#)[Careers](#)[Customer Vehicles](#)[Suspension](#)[Shock Technology](#)[Street Performance & Racing Twin Tube Shocks](#)[Circle Track Twin Tube vs Monotube Shocks](#)[Adjustability](#)[Deflective Disc Valving](#)[High Performance Pistons](#)[Three Step Sealing System](#)[Rebuildable & Revalveable](#)[Street Performance & Racing Shocks, Struts & Pro Coil Systems](#)[Custom Mount Shocks](#)[Stocker Star Non-Coil-Over Shocks](#)[Front Stock Mount Coil-Over Shocks](#)[Front Stock Mount Struts](#)[Rear Stock Mount Coil-Over Shocks](#)[Front Pro Coil Shock Systems](#)[Front Pro Coil Strut Systems](#)[Rear Pro Coil Shock Systems](#)[Street Performance & Racing Suspension Accessories](#)[Coil-Over Kits & Components](#)[Shock Mount Accessories](#)[Street Performance & Racing Suspension Components](#)[Rear Suspension Conversion Systems](#)[Control Arms](#)[K-Members & Braces](#)

[Adjustable Frame Supports](#)
[Sub-Frame Connectors](#)
[Panhard Bars](#)
[Torque Arms](#)
[Rear Anti-Hop Bars](#)
[Strut Tower Braces](#)
[Tubular Braces](#)
[Trailing Arms & Accessories](#)
[Sway Bars](#)
[Dynamic Strut Bars](#)
[Adjustable Pinion Snubbers](#)
[Bump Steer Kits](#)
[Heavy Duty Tie Rod Sleeves](#)
[Adjustable Rear Toe Links](#)
[Torsion Bar Adjusters](#)
[Camber Bolt Adjusters](#)
[Drag Racing Suspension Kits](#)
[GM Drag Racing Kits](#)
[Ford Drag Racing Kits](#)
[Mopar Drag Racing Kits](#)
[Handling Suspension Kits](#)
[GM Handling Kits](#)
[Ford Handling Kits](#)
[Mopar Handling Kits](#)
[Circle Track Shocks & Struts](#)
[Bearing Mount Shocks](#)
[Stock Mount Shocks](#)
[Stock Mount Struts](#)
[Circle Track Shock Accessories](#)
[Springs](#)
[Ball Joints](#)
[Driveshafts](#)
[Carbon Fiber Driveshaft Technology](#)
[Benefits of a QA1 Carbon Fiber Driveshaft](#)
[QA1 Carbon Fiber Driveshafts Dissected](#)
[Street Performance & Racing Driveshafts](#)
[Circle Track Driveshafts](#)
[Racer & Driver Approved](#)
[Industrial Driveshafts](#)
[Rod Ends & Related](#)
[Rod Ends](#)
[Endura Series Rod Ends](#)
[2-Piece Rod Ends](#)
[3-Piece Rod Ends](#)
[Bronze Race Rod Ends](#)
[Injection Molded Rod Ends](#)
[Spherical Bearings](#)
[Ball Joint Linkages](#)
[Rebuildable Bearing Rock Ends](#)
[Clevises](#)

[Rod Eyes/Solid Rod Ends](#)[Tube Adapters](#)[Weld-On Wrench Hexes](#)[Jam Nuts](#)[Spacers](#)[Linkage Adjusters](#)[Swaged Tubes](#)[Custom](#)[Industrial Capabilities](#)[Industrial Shock Absorbers](#)[Request a Quote](#)[Tech](#)[Street Performance & Racing Suspension Tech & Tips](#)[Street Performance & Racing FAQs](#)[Street Performance & Racing Suspension Installation Guides](#)[Street Performance & Racing Spring Rate Tech & Tips](#)[Circle Track Suspension Tech & Tips](#)[Circle Track FAQs](#)[Circle Track Suspension Installation Guides](#)[Rod End & Spherical Bearing Tech](#)[QA1 Gear](#)[Apparel](#)[Banners](#)[Contact](#)[Location & Hours](#)[Contact Form](#)[Catalog Request & Download](#)[Sponsorship Request](#)[Home](#)[Rod Ends & Related](#)[Rod Ends](#)[2-Piece Rod Ends](#)**PCYM-T Series Chromoly Steel Rod Ends**[Rod Ends & Related](#)[Rod Ends](#)[Endura Series Rod](#)[Ends](#)[2-Piece Rod Ends](#)[3-Piece Rod Ends](#)[Bronze Race Rod Ends](#)[Injection Molded Rod](#)[Ends](#)[Spherical Bearings](#)[Ball Joint Linkages](#)[Rebuildable Bearing](#)[Rock Ends](#)[Clevises](#)

PCYM-T Series Chromoly Steel Rod Ends

PCYM-T Chromoly Steel Series Rod
End - QA1

Product Description

Click to enlarge and
zoom

[Rod Eyes/Solid Rod Ends](#)
[Tube Adapters](#)
[Weld-On Wrench](#)
[Hexes](#)
[Jam Nuts](#)
[Spacers](#)
[Linkage Adjusters](#)
[Swaged Tubes](#)

MORE VIEWS

Male 2-Piece High Misalignment Rod End

QA1 offers its 2-piece PCYM-T Chromoly Steel Series rod ends for applications requiring high misalignment. These black oxide coated rod ends offer superior load ratings over carbon steel two-piece rod ends and PTFE liner. The PCYM-T is an ideal choice for high misalignment applications with the highest misalignment available in the industry. Other sizes are available in the PCYM-T Series as special order, please call 800-721-7761 for more information.

BALL

- 52100 Bearing Steel
- Heat Treated
- Hard Chrome Plated
- Precision Ground
- High Misalignment

BODY

- Chromoly Steel
- Heat Treated
- Black Oxide Coated
- PTFE Lined

	Thread Type	B +0.0015 -0.0005	W ±0.005	A ±0.015	D Ref.	Ball Dia. Ref.	C +0.062 -0.031	Thread UNF-3A	Misalign Angle a°	Ult. Radial Static Load Lbs.	Approx. Bearing Weight	Price	Qty
1	Left Hand	0.625	1.375	3.375	2	1.312	2	3/4-16	64	27862	0.68	\$19.33	0
1	Left Hand	0.625	1.375	2.875	1.75	1.312	1.75	5/8-18	64	19394	0.51	\$15.84	0

1	Left Hand	0.75	1.5	3.375	2	1.5	2	3/4-16	61	27010	0.79	\$19.33	0
1	Left Hand	0.375	0.875	2.125	1.125	0.812	1.375	3/8-24	55	10171	0.14	\$10.12	0
1	Left Hand	0.4375	1	2.438	1.312	0.937	1.5	7/16-20	58	13408	0.22	\$12.81	0
1	Left Hand	0.5	1.25	2.875	1.75	1.125	1.75	5/8-18	65	22898	0.44	\$15.25	0
1	Left Hand	0.5	1.25	2.625	1.5	1.125	1.625	1/2-20	65	15038	0.33	\$12.55	0
1	Right Hand	0.625	1.375	3.375	2	1.312	2	3/4-16	64	27862	0.68	\$19.33	0
1	Right Hand	0.625	1.375	2.875	1.75	1.312	1.75	5/8-18	64	19394	0.51	\$15.84	0
1	Right Hand	0.75	1.5	3.375	2	1.5	2	3/4-16	61	27010	0.79	\$19.33	0
1	Right Hand	0.375	0.875	2.125	1.125	0.812	1.375	3/8-24	55	10171	0.14	\$10.12	0
1	Right							7/16-					

12/14/2015PCYM-T Series Chromoly Steel High Misalignment Rod Ends | Two Piece PTFE Lined Male | QA1

1	Hand	0.4375	1	2.438	1.312	0.937	1.5	20	58	13408	0.22	\$12.81	0
1	Right Hand	0.5	1.25	2.875	1.75	1.125	1.75	5/8-18	65	22898	0.44	\$15.25	0
1	Right Hand	0.5	1.25	2.625	1.5	1.125	1.625	1/2-20	65	15038	0.33	\$12.55	0

Add to Cart

[request a catalog](#)

Learn more about our full line of products.

- [About](#)
- [Company](#)
- [Industrial Markets](#)
- [Manufacturing](#)
- [Technology](#)
- [Quality](#)
- [News](#)
- [Events](#)
- [Media/Articles](#)
- [Contingency Programs](#)
- [Dealer Program](#)
- [Careers](#)
- [Customer Vehicles](#)
- [Suspension](#)
- [Shock Technology](#)
- [Street Performance & Racing Twin Tube Shocks](#)
- [Circle Track Twin Tube vs Monotube Shocks](#)
- [Adjustability](#)
- [Deflective Disc Valving](#)
- [High Performance Pistons](#)
- [Three Step Sealing System](#)
- [Rebuildable & Revalveable](#)
- [Street Performance & Racing Shocks, Struts & Pro Coil Systems](#)
- [Custom Mount Shocks](#)
- [Stocker Star Non-Coil-Over Shocks](#)

Stay updated

Sign up for our eNewsletter today!

email address

submit

Connect with Us

- [Facebook](#)
- [Twitter](#)
- [You Tube](#)
- [Google+](#)
- [Linked In](#)
- Support: [+1 \(952\) 985-5675](#)
- Sales: [+1 \(800\) 721-7761](#)
- Fax: [+1 \(952\) 985-5679](#)

[Front Stock Mount Coil-Over Shocks](#)
[Front Stock Mount Struts](#)
[Rear Stock Mount Coil-Over Shocks](#)
[Front Pro Coil Shock Systems](#)
[Front Pro Coil Strut Systems](#)
[Rear Pro Coil Shock Systems](#)
[Street Performance & Racing Suspension Accessories](#)
[Coil-Over Kits & Components](#)
[Shock Mount Accessories](#)
[Street Performance & Racing Suspension Components](#)
[Rear Suspension Conversion Systems](#)
[Control Arms](#)
[K-Members & Braces](#)
[Adjustable Frame Supports](#)
[Sub-Frame Connectors](#)
[Panhard Bars](#)
[Torque Arms](#)
[Rear Anti-Hop Bars](#)
[Strut Tower Braces](#)
[Tubular Braces](#)
[Trailing Arms & Accessories](#)
[Sway Bars](#)
[Dynamic Strut Bars](#)
[Adjustable Pinion Snubbers](#)
[Bump Steer Kits](#)
[Heavy Duty Tie Rod Sleeves](#)
[Adjustable Rear Toe Links](#)
[Torsion Bar Adjusters](#)
[Camber Bolt Adjusters](#)
[Drag Racing Suspension Kits](#)
[GM Drag Racing Kits](#)
[Ford Drag Racing Kits](#)
[Mopar Drag Racing Kits](#)
[Handling Suspension Kits](#)
[GM Handling Kits](#)
[Ford Handling Kits](#)
[Mopar Handling Kits](#)
[Circle Track Shocks & Struts](#)
[Bearing Mount Shocks](#)
[Stock Mount Shocks](#)
[Stock Mount Struts](#)
[Circle Track Shock Accessories](#)
[Springs](#)
[Ball Joints](#)
[Driveshafts](#)
[Carbon Fiber Driveshaft Technology](#)
[Benefits of a QA1 Carbon Fiber Driveshaft](#)
[QA1 Carbon Fiber Driveshafts Dissected](#)
[Street Performance & Racing Driveshafts](#)
[Circle Track Driveshafts](#)

[Racer & Driver Approved](#)
[Industrial Driveshafts](#)
[Rod Ends & Related](#)
[Rod Ends](#)
[Endura Series Rod Ends](#)
[2-Piece Rod Ends](#)
[3-Piece Rod Ends](#)
[Bronze Race Rod Ends](#)
[Injection Molded Rod Ends](#)
[Spherical Bearings](#)
[Ball Joint Linkages](#)
[Rebuildable Bearing Rock Ends](#)
[Clevises](#)
[Rod Eyes/Solid Rod Ends](#)
[Tube Adapters](#)
[Weld-On Wrench Hexes](#)
[Jam Nuts](#)
[Spacers](#)
[Linkage Adjusters](#)
[Swaged Tubes](#)
[Custom](#)
[Industrial Capabilities](#)
[Industrial Shock Absorbers](#)
[Request a Quote](#)
[Tech](#)
[Street Performance & Racing Suspension Tech & Tips](#)
[Street Performance & Racing FAQs](#)
[Street Performance & Racing Suspension Installation Guides](#)
[Street Performance & Racing Spring Rate Tech & Tips](#)
[Circle Track Suspension Tech & Tips](#)
[Circle Track FAQs](#)
[Circle Track Suspension Installation Guides](#)
[Rod End & Spherical Bearing Tech](#)
[QA1 Gear](#)
[Apparel](#)
[Banners](#)
[Contact](#)
[Location & Hours](#)
[Contact Form](#)
[Catalog Request & Download](#)
[Sponsorship Request](#)

Copyright 2015 QA1. All Rights Reserved

[Terms & Conditions](#) [Site Map](#) [Privacy Policy](#) [Contact Us](#)