

REFERENCES

1. Anokhin, V. I. (1950). Soviet Motor Cars. (Russian). MASHGIZ. Moscow.
2. Antufiev, V. M. and Bielelskij, G. S. (1948). Heat Transfer and Aerodynamic Resistance during Transverse Flow in Tubular Surfaces. (Russian). MASHGIZ. Moscow.
3. Bachle, C. F. (1949). Advantages of Air-Cooling for Vehicle Engines. *J.S.A.E.*, Sept. pp. 18—22.
4. Babichev, V. Z. (1951). Motor Car Radiators. (Russian). MASHGIZ. Moscow.
5. Berndorfer, H. (1953). Pre-Calculation of Cooling Input for Engines with Air-Cooled Cylinders with Given Finning and Baffling. (German). *MT Zeit.* (3), pp. 57—59.
6. Biermann, A. E. (1937). The Design of Metal Fins for Air-Cooled Engines. *J.S.A.E.*, Sept. (3), pp. 388—392.
7. Biermann, A. E. and Pinkel. Heat Transfer from Finned Metal Cylinders in an Air Stream. *N.A.C.A. Report* No 488.
8. Boehner, L. G. (1953). How to Cool and Quieten an Air-Cooled Car Engine. *J.S.A.E.* Aug. pp. 48—49.
9. Brilink, N. R. and Vichert, M. M. (1951). High-Speed Diesel Engines. (Russian). MASHGIZ. Moscow.
10. Burkhart, A. (1950). Manufacture of Cylinder-Liners by Methods other than Cutting. (German). *Werkst. u. Betrieb*, (3), pp. 81—88.
11. Cunningham, J. W. (1945). High-Conductivity Cooling Fins for Aircraft Engines. *Trans.S.A.E.* pp. 742—848.
12. Davis and Neugebauer (1951). Air Force Development of a Light-Weight Multi-Fuel Diesel Engine. *Diesel Power and D. Transp.* May, p. 36.
13. Dicksee, C. B. (1951). Diesel Engine Design and Performance in Great Britain. *Trans.S.A.E.* p. 151.
14. Dudley, M. W. (1948). New Methods in Valve Cam Design. *Trans.S.A.E.* p. 19.
15. Drinkard and Carpentier (1951). Development Highlights and Unique Features of the New Chrysler V-8 Engine. *J.S.A.E.* July, pp. 346—358.
16. Eck, B. (1937). Fans. (German). Springer Publishing Co. Berlin.
17. Eckert, B. (1942). The Cooling System of the Motor Car. (German). *N. Kraft-fahrer Zeit.* (21), pp. 295—297.
18. Eckert, B. (1942—43). Cooling Air-Blowers for Motor Cars. (German). *N. Kraft-fahrer Ztg.* 1942 (24, 25, 26, 27) and 1943 (2, 3, 4).
19. Ellerbrock and Biermann. Surface Heat Transfer Coefficients of Finned Cylinders. *N.A.C.A. Report* No 676.
20. Fabrikant, N. Y. (1952). A Course in Aerodynamics. (Russian). MASHGIZ. Moscow.
21. Georgi, C. W. (1950). Motor Oils and Engine Lubrication. Reinhold Publ. Corp. New York.

22. Glagolev, M. M. (1952). Working Processes of Internal Combustion Engines. (Czech). Technicko-véd. Vydavatelství. Prague.
23. Huntington, R. Souping the Stock Engine. Floyd Clymer Publ. Los Angeles.
24. Khanin, N. S. (1952). Development in Motor Car Design. (Russian). 8th Ed. Moscow.
25. Igumnov, G. S. (1951). Low-Output Two-Stroke Compression-Ignition Engines. (Russian). MASHGIZ. Moscow.
26. Investigation on Cylinder-Liner Wear, (1949). *Trans.S.A.E.* p. 50.
27. Janeway, R. N. (1938). Quantitative Analysis of Heat Transfer in Engines. *J.S.A.E.* Sept. pp. 371—380.
28. Judge, A. W. (1947). Aircraft Engines. 2nd Ed. Chapman and Hall, Ltd. London.
29. Yudin, E. Y. (1949). Axial-Flow Fans of the MC Series. (Russian). Gos. Izd. Stroit. Lit. Moscow.
30. Karpov, V. P. (1951). Combustion of Gas-Forming Mixtures in Engines. (Russian). MASHGIZ. Moscow.
31. Kloss, R. (1953). Experience from the Operation of Air-Cooled Diesel Engines. (German). *MT Ztg.* (3), p. 66.
32. Kloss, R. (1951). Air-Cooled Diesel Engine for Motor Cars. (German). *MT Ztg.* (3), pp. 69—76.
33. List, H. (1942). Investigation of an Injection-Chamber Engine. (German). *MT Ztg.* (3), pp. 75—84.
34. Lemmon, Colburn and Nottage, (1945). Heat Transfer from a Baffled, Finned Cylinder to Air. *Trans.A.S.M.E.*, Nov. pp. 601—612.
35. Löhner, K. (1951). Fundamentals of Air-Cooling of Internal Combustion Engines. (German). *MT Ztg.* (3), pp. 53—62.
36. Mackerle, J. (1951). Engine Valve Gear. (Czech). St. naklad. učebnic, Prague.
37. Mahle, E. (1953). Further Progress in Chromium-Plated Cylinders made of Light Metals. (German). *MT Ztg.* (3), p. 63.
38. Mackerle, J. (1955). Engine Cooling by Exhaust Gas Driven Blowers. (German). *Automobil Revue*, (53), p. 15.
39. Mc Clintock, F. and Hood, J. H. (1946). Aircraft Ejector Performance. *J. Aeronaut. Sci.* (11), p. 559.
40. Maier, A. (1953). Chromium-Plated Aluminium Cylinders in Air-Cooled Engines. (German). *MT Ztg.* (3) p. 60.
41. Mc Clintock, F. and Hood, J. H. (1946). Aircraft Ejector Performance. *J. Aeronaut. Sci.* pp. 559—568.
42. Mikheyev, M. A. (1952). Fundamentals of Heat Transfer. (Czech). Prům. vydavat. Prague.
43. Orlin, A. S. (1950). Light-Weight Two-Stroke Engines. (Russian). MASHGIZ. Moscow.
44. Pirry, M. (1945). Cooling Characteristics of Steel and Aluminium-Finned Cylinder Barrels for In-Line Air-Cooled Engines. *Trans.S.A.E.* pp. 630—639.
45. Anon. (1953). Plain Bearings, *Automob. Eng.*, Nov. pp. 463—473.
46. Anon. (1951). Power Output and Account of the Work of the Westlake Laboratories. *Automob. Eng.* Aug. p. 283.
47. Anon. (1949). Production of Air-Cooled Copper Heads. *Aircraft Prod.* March., pp. 75—79, and May, pp. 168—171.
48. Pye, D. R. (1934). The Internal Combustion Engine. II. Oxford and Clarendon Press.
49. Rabezana, H. (1939). Gasoline Engine Combustion. *Automot. Ind.* Nov. p. 534.
50. Ryder, E. A. (1950). Recent Developments in the R-4360 Engine. *Trans.S.A.E.* p. 560.
51. Ricardo, H. R. (1931). The High-Speed Internal Combustion Engine. Blackie Publ. London.
52. Seifert (1952). *AT Ztg* (3) and (4).
53. Schweitzer, P. H. (1949). Scavenging of Two-Stroke Cycle Diesel Engines. The Macmillan Comp. New York.
54. Shoemaker, F. G. (1938). Automotive Two-Cycle Diesel Engines. *J.S.A.E.* Dec. p. 485.
55. Schey and Ellerbrock. Blower Cooling of Finned Cylinders. *N.A.C.A.Report* No 587.
56. Silayev, A. A. (1948). Liquid Cooling Systems for Tank Engines. (Russian). MASHGIZ. Moscow.
57. Spannhake, E. W. (1953). Procedures Used in Development of Barnes Reinecke Air Force Diesel Engine. *Trans.S.A.E.* p. 574.
58. Speluzzi, M. (1949). Analysis of the Characteristics and Assessment of Motor Car Engines. (Italian). *Inter Auto*, pp. 51—61.
59. Stegemann, W. (1951). Some Considerations of the Problem of Cooling Air-Cooled Engines. (German). *MT Ztg.* (3), pp. 63—69.
60. Swan, A. (1934). Handbook of Aeronautics, II. Sir Isaac Pitman and Sons, Ltd. London.
61. Taub, A. (1935). Method and Machine for Avoiding Combustion Chamber Calculation. *J.S.A.E.*, April, pp. 159—162.
62. Taylor, E. S. (1937). Variables Affecting Flame Speed in the Otto-Cycle Engine. *Trans.S.A.E.* p. 514.
63. Turkish, M. C. Valve Gear Design. Eaton Man. Co. Detroit.
64. Ulsmann, G. The Aircraft Engine, Part II. Servicing. (German). Dr. M. Mathiesen Comp. Berlin.
65. Wiegand and Olson (1950). Postwar Development of the Reciprocating Engine. *Trans.S.A.E.* p. 8.
66. Williams, C. G. (1936). Cylinder Wear in Gasoline Engines. *J.S.A.E.* May, p. 191.
67. Willis and Anderson (1944). Operating Temperatures and Stresses of Aluminium Aircraft Engine Parts. *Trans.S.A.E.* pp. 38—46.
68. Williams, C. G. (1949). Fuel Anti-knock Requirements. *Autom. Eng.* June, pp. 246—251.
69. Zinner, K. (1939). Knock Phenomenon and Combustion Chamber. (German). *AT Ztg.* (9), pp. 251—259.
70. Harding, E. J. (1951). The Studebaker V-8 Engines. *Trans.S.A.E.* Oct. p. 447.
71. Hooker, R. J. (1957). Orion — A Gas-Generator Turbocompound Engine. *Trans. S. A. E.*, p. 293.

INDEX

- ABC engine, 405
- Accelerating forces, 181, 190, 353
- Acceleration of cam, 320
- A.E.C. comb. chamber, 232
- Air-cooled engines
 - advantages, 12
 - development, 15
- Air
 - cooling, 12
 - density, 51
 - resistance, 348
 - spec. gravity, 50
 - temperature, 10
 - therm. properties, 73
 - velocity, 50, 96, 123
 - viscosity, 51
- Air cell, 236
- Air duct, 336
- Air flow, 138
- Air stream, 48
- Air flow around cylinder, 138
- Air-fuel mixture, 208
- Aircraft engine, 34, 86
- A.J.S. engine 280
- Alcohol thermostat, 166
- Al-Fin method, 76
- Alfa Romeo, 36
- Allgeier tractors, 18
- Aluminium
 - cylinders, 134
 - fins, 114
 - properties of, 73
- American Motors, 36
- Aniline, 215
- Anti-denotation value, 218
- Anti-knock value, 215
- Argus, 238
- Armstrong-Siddeley, 17
- Arsenal engine, 130
- Aspin, 331
- ASTM „Motor“ test, 216
- Asymmetric timing, 374
- Austin, 36
- Automatic control, 148, 162
- Balancing of engines, 200
- Barnes and Reinecke, 399
- Bearing
 - clearances, 359
 - lining, 358
 - load, 358
 - pressure, 181
 - shell, 357
- Bearings, 357
- Benzene, 215
- Biermann, 101
- Bimetallic thermostat, 166
- BMW, 17, 36, 262, 337, 406
- Boeing, 45, 47
- Boiler scale, 73
- Bore, 178
- Boundary layer, 48, 91
- Briling, 60
- Bristol, 250, 325
- Bronze, 73
- Bryzov, 60
- BSA, 407
- Burt sleeve valve, 324
- Cadillac, 195
- Čajka, 37
- Cam design, 301, 306
- Cams, 295
- Camshaft, 300
- Carbon
 - black, 73
 - deposit, 66, 76
- Casting of
 - cyl. barrel, 276
 - cyl. head, 259
- Cast iron, 73
- Caterpillar, 17

Chevrolet, 36, 408
 Chrysler, 37, 194, 196
 Citroën, 17, 36, 344, 415
 ČKD, 27, 33, 39, 128, 436
 Coefficient of
 heat transfer, 48, 56, 59
 resistance, 54
 shape, 73
 surface friction, 53
 surface, of heat transfer 56, 62, 146
 Coke, 73
 Combustion, 225
 Combustion chamber, 60, 63, 189, 222
 development of, 25
 hemi-spherical, 29, 31, 227, 245
 surface area, 198
 toroidal, 233
 wedge-shaped, 226, 244
 Combustion space, 221, 230
 Compression-ignition engines, 29, 38
 Compression ratio, 182, 205
 Connecting rod, 353
 Continental, 16, 36, 81, 128, 201, 410, 439
 Continuous change of speed, 154
 Cooling air, 122, 129
 control methods, 147
 fan, 144, 335
 input, 106, 124, 130, 134
 surface area, 85
 system control, 145
 water, 10
 Copper, fins, 116
 properties of, 73
 Countercurrent cooling, 144
 Coupling, electromagnetic, 150
 Cowlings, 93, 136, 256, 351
 Crank mechanism, 352
 Crankcase, 287
 Crankshaft, 190
 Crossley, 232
 Cross engine, 330
 Cyclopentane, 215
 Cylinder
 barrel, 267, 274
 cowlings, 136
 distortion, 116
 element, 13
 head, 10, 12, 25, 221, 255
 liners, 281
 spacing, 125, 128
 surface area, 61, 198
 unit design, 13
 wall, 10, 12, 61
 wear, 13, 145, 284
 Culloch, 398
 Cummins, 42, 44, 232
 D.B. engine, 45
 Derived engine, 179
 Detonation, 209
 Deutz, 17, 39, 128, 130, 164, 256, 441
 Diffusion, 62
 Di-isobutylene, 215
 Dimethyl-butane, 215
 Dimethyl-pentane, 215
 Direct injection, 234
 Displacement, 180
 Distortion of cylinder, 276
 Distribution of
 hardness, 272
 load, 288
 pressures, 312
 temperature, 247, 276
 Dopes, 217
 Dynamic head, 349
 Eberspächer turbocompr., 171
 Efficiency
 mechanical, 185
 thermal, 182
 volumetric 181
 Ejector cooling, 172
 Electric engine, 45
 Electromagnetic coupling, 153
 Engine
 air- and water-cooled, 34
 balancing, 200
 dimensions, 35, 178
 failures, 12
 layout, 178
 load, 66
 maintenance, 35
 performance, 178, 190
 size, 41
 speed, 190
 weight, 12, 34, 38, 179
 Equivalent diameter, 107
 Ethyl alcohol, 215
 Ethylene-dibromide, 215
 Exhaust
 gas ejector, 171
 energy, 168
 temperature, 273
 turbine, 109
 turbocompressor, 170, 371
 pipe, 176, 293
 port, 378
 F-head, 64, 230
 Fairbanks, 45, 81
 Fan
 baffles, 342
 blades, 157

 cooling, 144
 design, 344
 drive, 156
 input, 340
 speed, 153
 types, 335
 feathering blades, 157
 Ferrari, 37, 81
 Fiat, 17, 36, 161, 417
 Fin
 base, 100
 connection, 282
 dimensions, 103
 efficiency, 89, 105
 interstice, 92
 machining, 275
 production methods, 115
 shapes, 86
 spacing, 90, 139
 surface, 88, 263
 weight, 112
 Finned surface, 87
 Finning
 of cyl.-heads, 258
 types of, 120
 Flame travel, 186, 223
 Flat four, 20, 203
 Flat twin 19
 Flow
 area, 125
 laminar, 49
 turbulent, 49
 Foden, 42
 Ford, 37, 130
 Fracture of bolts, 277
 Franklin, 16, 81, 85, 240
 Friction
 losses, 190
 surface, 49, 53
 Fuel
 consumption, 34
 test methods, 216
 types, 216
 Gardner, 232
 Gas
 seal, 267
 turbine, 45, 47, 169
 GAZ engines, 130
 Geometrical similarity, 180, 184
 Glass, 73
 Glycol, 73
 Goggomobil, 17
 Goliath, 17
 Gräf & Stift, 42
 Gratings, protective, 348

Greyhound bus, 201
 Guiberson, 17, 39, 45, 443
 Guide sheets, 144
 Güldner, 17
 Hardness of cyl.-heads, 271
 Heat
 conversion, 9
 distribution, 79, 82
 flow through wall, 75
 removed by cooling, 68, 77
 transmission, 48
 transfer, 49
 calculation, 71
 coefficient, 49, 59, 75
 from fin to air, 87
 from hot gases, 59
 through cylinder walls, 72
 Heptane, 215
 Hercules, 42
 Hillman, 37
 Horizontally opposed twin, 260
 Hot water temperature, 10
 Hydraulic coupling, 156
 Hyes friction gear, 154
 Ideal cycle, 182
 performance, 190
 Ignition advance, 208
 lag, 222
 Indicated performance, 190
 Induction pipe, 293
 swirl, 225
 Injection, 232
 chamber, 235, 261
 indirect, 234
 pump, 239
 Inlet
 port, 368
 valve, 142
 In-line engines, 200
 Intake, 142
 Internal cooling, 141
 Iso-butylene, 215
 Iso-octane, 187, 215
 Iso-propyl benzene, 215
 Isotherms, 74
 Inverted engine, 267
 Jack & Heinz, 153, 155, 329
 Jackisch, 60
 Jaguar, 37
 Janevay, 60
 JAP engine, 36
 Jawa, 33, 418

JAZ engine, 41, 232, 370, 387
 Jeschke, 97
 Junkers, 45, 386
 Jupiter, 85

KdF-VW, 128
 Krauss Maffei, 41, 370
 Krupp, 16

Laminar flow, 49
 layer, 49
 Layouts of vehicles, 201
 Leading edge, 50, 53
 Lean mixture, 207
 Ledwinka, 18
 Lloyd, 424
 Load characteristics, 67
 Löhner, 104, 106, 130
 Losses frictional, 190
 mechanical, 190
 Lubricating film, 77
 oil temperature, 10
 Lubrication, 361
 Lycoming, 241, 246

Maintenance of engines, 35
 MAN, 16, 39, 44, 232, 444
 Mass velocity, 97
 Maybach, 45, 81, 130
 Mean effect. pressure, 180, 185, 188
 flow velocity, 49
 piston velocity, 181, 194, 196
 pressure loss, 193
 temperature, 49
 Measuring of temperature, 270
 Mechanical efficiency, 185, 196
 losses, 188
 Mercedes Benz, 17, 37, 44
 Methanol, 73, 215
 Methyl-butane, 215
 Metals, non-ferrous, 14
 Mica, 73
 Mixing chamber, 174
 Mixture, quality, 210
 Monomethyl-aniline, 215
 Morris, 37
 Motor oil, 73
 Motor test method, 216
 Mowag bus, 201
 MWM engine, 17, 39, 237

NACA, test cylinder, 103
 Napier, 85
 NATI, 128, 446
 Non-ferrous metals, 14
 NSU, 17, 332

Number of cylinders, 184, 199
 Nusselt, 60

Octane number, 211, 229
 Oil engines, 39
 Onan, 446
 Opel, 17, 37
 Opposed
 twin, 200
 8-cylinder, 203
 Orenstein & Koppel, 392
 Orion, 399
 Oversquare engine, 191

Panhard-Dyna, 17, 36, 343, 425
 Paraffin thermostat, 166
 Parallel twin, 200
 Paxman, 39
 Pentane, 215
 Performance, 14, 178
 Performance, unit, 35, 40, 180
 Performance rating, 215
 Petrol, therm. props. of, 73
 Petrol engine, gross weight, 38
 Petter, 17, 39, 448
 Phänomen, 16, 149
 Piston, 355
 development, 25
 ring, 356
 Poppet valve, 292
 Porsche, 17, 36, 254, 425
 Power for cooling, 105, 137
 Praga, 42, 449
 Pratt & Whitney, 78, 81, 247, 404
 Pre-combustion chamber, 236
 Pressure
 drop factor, 107
 head of ejector, 173
 Pye, 88

Racing car, 31, 36
 Radial engine, 203
 Radiator, 10
 Railcar, 25
 Ramp, 305
 Ranger engine, 69, 81, 131, 266
 Renault, 37
 Research test method, 216
 Reynolds number, 51
 Ricardo, 189, 223
 Rich mixture, 210
 Robur, 39, 128, 338
 Rolls Royce, 81
 Roots blower, 370
 Rotary valve, 324
 Rover, gas turbine, 45, 47

Rubber, therm. prop. of, 73
 Rudge-Whitworth, 250

Saurer engine, 42, 232
 Scavenging, 376
 Scintilla, 151
 Shell casting, 276
 Short stroke engine, 182, 191
 Silver, therm. props. of, 73
 Similitude, 49
 Simmering engine, 16, 39, 81, 128, 450
 Skoda engines, 32, 37, 41, 128
 Sleeve valve, 324
 SLM engine, 17, 39, 128, 453
 Solidification point, 215
 Soviet diesel, 42, 232
 Spark advance, 182
 Sparking plug, 222
 Speed
 characteristics, 70
 continuous change of, 154
 Steel
 cylinder, 134
 fins, 116
 therm. props. of, 73
 Steyer engine, 17, 36, 128, 265
 Stihl engine, 17, 391
 Strakonice CZ engine, 33
 Stroke, 178
 Stroke/bore ratio, 179, 197
 Studebaker, 194
 Sunbeam, 426
 Surface
 area of comb. chamber, 198
 area of cylinder, 198
 coeff. of heat transfer, 56
 friction, 50, 53
 unevenness, 54, 98
 Swirl chamber, 236
 Symmetric timing, 374

Tangential force, 49
 Tank engines, 16, 348
 Tappet, hydraulic, 307
 Tappets, 311
 Tatra
 T-12, 19
 T-30, 20
 T-57, 21, 289
 T-77a, 20
 T-87, 18, 20, 36, 128, 428
 T-97, 21
 T-108, 81
 T-111, 21, 23, 39, 42, 46, 128, 130, 454
 T-114, 459
 T-116, 128, 201, 290, 460

T-128, 41
 T-301, 130
 T-600, 29, 36, 128, 130, 430
 T-602 S, 81
 T-603, 18, 30, 36, 46, 81, 128, 140, 159, 432
 T-904, 26
 T-924, 156
 T-928, 27, 39, 128, 462
 T-930, 465
 Tatraplan, 28, 130, 158
 Temperature
 cylinder head, 10, 12, 221
 cylinder wall, 10, 12, 61, 274
 difference, 10, 50, 76
 gradient, 11, 53, 74, 76
 hot water, 10
 lubricating oil, 10
 measuring method, 270
 Test methods for fuels, 216
 Tetra-ethyl lead, 187, 215
 Thermal
 balance, 59, 77, 79
 conductivity, 72
 efficiency, 182, 229, 233
 losses, 62
 properties, 73
 stress, 79
 Thermocolour, 271
 Thermocouple, 273
 Thermostat, 152, 160, 165
 Thread connection, 269
 Throttling, 147
 Toluene, 215
 Tractor Research Institute, Soviet, 128, 446
 Tractors
 Allgeier, 18
 CKD, 27, 32
 Transition
 area, 125
 point, 53
 Triptane, 215
 Triumph, 37, 280
 Turbocompressor, 169
 Turbulent
 coupling, 150
 flow, 49
 layer, 49
 Twin cylinder, 200
 Two-stroke engine, 368

U-shaped fins, 282
 Underpressure, ejector, 174
 Unit cylinder, 13
 Unit performance, 40, 180

- V-engine, 199
- V-2 engine, 130
- Valve
 - clearance, 302
 - flow area, 243, 293
 - lift, 319
 - port, 293
 - seat, 293
 - springs, 315
 - stem, 293
 - timing, 293, 304
- Valve gear
 - arrangement, 243, 292
 - deformation, 319
 - resilience, 319
 - of two-stroke engine, 375
- Varnish layer, 98
- Velocity
 - distribution, 49
 - gradient, 49
 - head, 129
 - mean, 49
 - profile, 49
- Vespa, 435
- Viscosity of air, 51
- Viscous shear, 49
- Vitameter, 210
- Volumetric efficiency, 181
- Volkswagen engine 17, 36, 128, 163, 397
- W engine, 199
- W-shaped fins, 283
- Walter engine, 33
- Walter Minor, 255
- Warchalowski, 17
- Water, therm. properties of, 73
- Water-cooled engines, 34
- Water-cooling system, 12
- Wear of cylinder, 284
- Wedge-shaped comb. chamber, 224
- Weight of engines, 38
- Willys, 36
- Wright Cyclon 81, 248
- Zbrojovka, 33
- ZOD, 33, 45, 393
- X engine, 199